Code review with Gerrit

Dave Liddament (Lamp Bristol)

Why?



Local repo



Central repo



Local repo



Central repo



Local repo



Central repo



Local repo

Gerrit



Central repo



Local repo

Gerrit



Central repo

C

C

B

B

A

A

Gerrit

Local repo

Central repo



Local repo

Code review

Gerrit



Central repo



Local repo

Code review

Build server

Gerrit



Central repo


C
C
Code review
Build server
B
A
B
A
Local repo
Gerrit
Central repo


C
C
Code review
Build server
B
B
A
A
Local repo
Gerrit
Central repo



Local repo

Gerrit



Central repo


status:open project:gerrit
https://gerrit-review.googlesource.com/#/q/status:open+project:gerrit
Apps
New Tab
Other Bookmarks
All
Projects
Documentation
List
status:open project:gerrit
Search
Sign In
Search for status:open project:gerrit
Subject
Status
Owner
Project
Branch
Updated
Size
CR
V
Prevent NPE when approvals passed through magic branch
David Ostrovsky
gerrit
stable-2.11
11:01 AM
RFC/WiP: Consistently use character encoding constants
David Pursehouse
gerrit
master
10:26 AM
+1
Provide better detection of requiring sign-in
Doug Kelly
gerrit
stable-2.11
10:18 AM
+1
Add settings screen for global edit preferences
Edwin Kempin
gerrit
master
10:15 AM
+1
Fetch edit preferences when Gerrit client is loaded
Edwin Kempin
gerrit
master
10:15 AM
+1
Add settings screen for global diff preferences
Edwin Kempin
gerrit
master
10:14 AM
+1
Append approvals information to every review stream event
Khai Do
gerrit
master
9:27 AM
Update 2.11.4 release notes
David Pursehouse
gerrit
stable-2.11
8:59 AM
+1
Skip migration of non-existent projects
Luca Milanesio
gerrit
master
8:21 AM
+1
show submodule difference properly in side by side view
Jacob Keller
gerrit
master
Oct 13
+1
Rename 'Conflicts With' to 'May Conflict'
Stefan Beller
gerrit
master
Oct 13
-1
Show label transitions more explicitly in Gerrit
Khai Do
gerrit
master
Oct 13
Add push cert status to change screen
Dave Borowitz
gerrit
master
Oct 13
Add whitelist-blacklist example to Prolog cookbook
Kenny Ho
gerrit
master (add-whitelist-prolog-cookbook)
Oct 13
+1
GerritLauncher: Add RebuildNotedb to commonly used commands
David Ostrovsky
gerrit
master
Oct 13
+1
Add move-change ssh command for changing destination for open changes
RaviTeja Sunkara
gerrit
master
Oct 13
-1
Register Bouncy Castle before generating keys
Doug Kelly
gerrit
master
Oct 13
Accept HTTP_LDAP as an LDAP auth type
Doug Kelly
gerrit
master
Oct 13
Remove unneeded exception declarations from REST handlers
David Ostrovsky
gerrit
master
Oct 12
Make email validation case insensitive
Kenny Ho
gerrit
master (case-insensitive-email-check)
Oct 9
+1
Split ChangeHookRunner along new interface lines
Martin Fick
gerrit
master (events)
Oct 9
Define stricter Event firing criteria
Martin Fick
gerrit
master (events)
Oct 8


status:open project:gerrit
https://gerrit-review.googlesource.com/#/q/status:open+project:gerrit
Apps
New Tab
Other Bookmarks
All
Projects
Documentation
List
status:open project:gerrit
Search
Sign In
Search for status:open project:gerrit
Subject
Status
Owner
Project
Branch
Updated
Size
CR
V
Prevent NPE when approvals passed through magic branch
David Ostrovsky
gerrit
stable-2.11
11:01 AM
RFC/WiP: Consistently use character encoding constants
David Pursehouse
gerrit
master
10:26 AM
+1
Provide better detection of requiring sign-in
Doug Kelly
gerrit
stable-2.11
10:18 AM
+1
Add settings screen for global edit preferences
Edwin Kempin
gerrit
master
10:15 AM
+1
Fetch edit preferences when Gerrit client is loaded
Edwin Kempin
gerrit
master
10:15 AM
+1
Add settings screen for global diff preferences
Edwin Kempin
gerrit
master
10:14 AM
+1
Append approvals information to every review stream event
Khai Do
gerrit
master
9:27 AM
Update 2.11.4 release notes
David Pursehouse
gerrit
stable-2.11
8:59 AM
+1
Skip migration of non-existent projects
Luca Milanesio
gerrit
master
8:21 AM
+1
show submodule difference properly in side by side view
Jacob Keller
gerrit
master
Oct 13
+1
Rename 'Conflicts With' to 'May Conflict'
Stefan Beller
gerrit
master
Oct 13
-1
Show label transitions more explicitly in Gerrit
Khai Do
gerrit
master
Oct 13
Add push cert status to change screen
Dave Borowitz
gerrit
master
Oct 13
Add whitelist-blacklist example to Prolog cookbook
Kenny Ho
gerrit
master (add-whitelist-prolog-cookbook)
Oct 13
+1
GerritLauncher: Add RebuildNotedb to commonly used commands
David Ostrovsky
gerrit
master
Oct 13
+1
Add move-change ssh command for changing destination for open changes
RaviTeja Sunkara
gerrit
master
Oct 13
-1
Register Bouncy Castle before generating keys
Doug Kelly
gerrit
master
Oct 13
Accept HTTP_LDAP as an LDAP auth type
Doug Kelly
gerrit
master
Oct 13
Remove unneeded exception declarations from REST handlers
David Ostrovsky
gerrit
master
Oct 12
Make email validation case insensitive
Kenny Ho
gerrit
master (case-insensitive-email-check)
Oct 9
+1
Split ChangeHookRunner along new interface lines
Martin Fick
gerrit
master (events)
Oct 9
Define stricter Event firing criteria
Martin Fick
gerrit
master (events)
Oct 8

Change I35f45a47: Add s

https://gerrit-review.googlesource.com/#/c/71343/

Apps | New Tab | Other Bookmarks

All | Projects | Documentation

List

Search term | Search | Sign In

Change 71343 - **Needs Code-Review**

Reply...

Patch Sets (3/3) | Download

```
Add settings screen for global diff preferences

The account preferences are available under the Settings menu, but not
the diff preferences. The diff preferences are only accessible from
the diff screen by clicking on the gear icon. It's confusing to users
that they cannot find all preferences under the Settings menu. This is
why it makes sense to make the diff preferences available in the
Settings menu too.

There are a few diff settings which are only applicable when looking
at a concrete file diff and which are not stored on server side
(show/hide left side, language). These settings are not available when
the diff preferences are accessed from the Settings menu.

The diff preferences in the Settings menu are rendered with the same
style as the diff preferences in the popup. This makes it easy for
users to see that these are actually the same settings, just accessed
through different paths.
```

Author	Edwin Kempin <ekempin@google.com>	Oct 7, 2015 1:40 PM
Committer	David Ostrovsky <david@ostrovsky.org>	Oct 14, 2015 8:05 AM
Commit	62a0cb3963268bac6c2b092f9a5b35db80150d2d	(gitiles)
Parent(s)	bd567a0d3b98aee53bfb6991b93d134e299684f3	(gitiles)
Change-Id	I35f45a4784592b9ce2fe35d86fd6974acc14f5c6	

Owner	Edwin Kempin
Reviewers	David Ostrovsky
	Edwin Kempin
Project	gerrit
Branch	master
Topic	
Strategy	Merge if Necessary
Updated	38 minutes ago

Code-Review	+1	David Ostrovsky
Verified	+1	David Ostrovsky

Related Changes (3) | Conflicts With (3)

- Add settings screen for global edit preferences
- Fetch edit preferences when Gerrit client is loaded
- ▸ Add settings screen for global diff preferences

Files | Open All | Diff against: Base

	File Path	Comments	Size
▸	Commit Message		
	gerrit-common/src/main/java/com/google/gerrit/common/PageLinks.java	1	
	gerrit-gwtui/src/main/java/com/google/gerrit/client/Dispatcher.java	6	
	gerrit-gwtui/src/main/java/com/google/gerrit/client/account/AccountConstants.java	1	
	gerrit-gwtui/src/main/java/com/google/gerrit/client/account/AccountConstants.properties	1	
A	gerrit-gwtui/src/main/java/com/google/gerrit/client/account/MyDiffPreferencesScreen.java	40	
	gerrit-gwtui/src/main/java/com/google/gerrit/client/account/SettingsScreen.java	1	
	gerrit-gwtui/src/main/java/com/google/gerrit/client/diff/PreferencesBox.java	280	
	gerrit-gwtui/src/main/java/com/google/gerrit/client/diff/PreferencesBox.ui.xml	24	
		+235, -118	

History | Expand All

Edwin Kempin — Uploaded patch set 1. — Oct 7 4:14 PM

Edwin Kempin — Oct 7 4:16 PM
Patch Set 1:
(1 comment)
Commit Message
Line 22: I'm not sure if this is really nice. Please comment if you think it should be styled differently.

David Ostrovsky — Oct 8 12:48 PM
Patch Set 1:
(2 comments)
Commit Message
Line 12: Can you point me to any complaints, feature requests or issues to allow to change diff preferences outside of the context of side by side and unified screens?

Such setting as hide/show empty pane, themes, cursor blink rates (see my pending change where i added it), etc. should be tried out, before applied and this is not done in this change (yet?). Well, with some overhead you could do everything, just create a side-by-side screen below of this window, render there some old/new and apply the change on that mini diff screen, embedded in my diff settings screen. Do we really want do that?

Consequently, you may argue, that Inine Editor preferences, that were separated recently from diff preferences also not exposed in my settings screen, and should be added on its own screen in My Inline Editor preferences. Again, with mini Inline Editor below the settings with sample content to try out the changes.

Consequently, if you really insist on doing that, then why should we propagate the activation of diff- and inline edit preferences in two different contexts, view context and no-

Change I35f45a47: Add s

https://gerrit-review.googlesource.com/#/c/71343/

Apps | New Tab | Other Bookmarks

All | Projects | Documentation

List

Search term | Search | Sign In

Change 71343 - **Needs Code-Review**

```
Add settings screen for global diff preferences

The account preferences are available under the Settings menu, but not
the diff preferences. The diff preferences are only accessible from
the diff screen by clicking on the gear icon. It's confusing to users
that they cannot find all preferences under the Settings menu. This is
why it makes sense to make the diff preferences available in the
Settings menu too.

There are a few diff settings which are only applicable when looking
at a concrete file diff and which are not stored on server side
(show/hide left side, language). These settings are not available when
the diff preferences are accessed from the Settings menu.

The diff preferences in the Settings menu are rendered with the same
style as the diff preferences in the popup. This makes it easy for
users to see that these are actually the same settings, just accessed
through different paths.
```

Author	Edwin Kempin <ekempin@google.com>	Oct 7, 2015 1:40 PM
Committer	David Ostrovsky <david@ostrovsky.org>	Oct 14, 2015 8:05 AM
Commit	62a0cb3963268bac6c2b092f9a5b35db80150d2d	(gitiles)
Parent(s)	bd567a0d3b98aee53bfb6991b93d134e299684f3	(gitiles)
Change-Id	I35f45a4784592b9ce2fe35d86fd6974acc14f5c6	

Reply...

Patch Sets (3/3) ▼ | Download ▼

Owner	Edwin Kempin
Reviewers	David Ostrovsky
	Edwin Kempin
Project	gerrit
Branch	master
Topic	
Strategy	Merge if Necessary
Updated	38 minutes ago

Code-Review	+1	David Ostrovsky
Verified	+1	David Ostrovsky

Related Changes (3) | Conflicts With (3)

- Add settings screen for global edit preferences
- Fetch edit preferences when Gerrit client is loaded
- ▸ Add settings screen for global diff preferences

Files | Open All | Diff against: Base

File Path	Comments	Size
Commit Message		
gerrit-common/src/main/java/com/google/gerrit/common/PageLinks.java	1	
gerrit-gwtui/src/main/java/com/google/gerrit/client/Dispatcher.java	6	
gerrit-gwtui/src/main/java/com/google/gerrit/client/account/AccountConstants.java	1	
gerrit-gwtui/src/main/java/com/google/gerrit/client/account/AccountConstants.properties	1	
A gerrit-gwtui/src/main/java/com/google/gerrit/client/account/MyDiffPreferencesScreen.java	40	
gerrit-gwtui/src/main/java/com/google/gerrit/client/account/SettingsScreen.java	1	
gerrit-gwtui/src/main/java/com/google/gerrit/client/diff/PreferencesBox.java	280	
gerrit-gwtui/src/main/java/com/google/gerrit/client/diff/PreferencesBox.ui.xml	24	
	+235, -118	

History | Expand All

Edwin Kempin — Uploaded patch set 1. — Oct 7 4:14 PM

Edwin Kempin — Oct 7 4:16 PM
Patch Set 1:
(1 comment)
Commit Message
Line 22: I'm not sure if this is really nice. Please comment if you think it should be styled differently.

David Ostrovsky — Oct 8 12:48 PM
Patch Set 1:
(2 comments)
Commit Message
Line 12: Can you point me to any complaints, feature requests or issues to allow to change diff preferences outside of the context of side by side and unified screens?

Such setting as hide/show empty pane, themes, cursor blink rates (see my pending change where i added it), etc. should be tried out, before applied and this is not done in this change (yet?). Well, with some overhead you could do everything, just create a side-by-side screen below of this window, render there some old/new and apply the change on that mini diff screen, embedded in my diff settings screen. Do we really want do that?

Consequently, you may argue, that Inine Editor preferences, that were separated recently from diff preferences also not exposed in my settings screen, and should be added on its own screen in My Inline Editor preferences. Again, with mini Inline Editor below the settings with sample content to try out the changes.

Consequently, if you really insist on doing that, then why should we propagate the activation of diff- and inline edit preferences in two different contexts, view context and no-

Change I35f45a47: Add s

https://gerrit-review.googlesource.com/#/c/71343/

Apps | New Tab | Other Bookmarks

All | Projects | Documentation

List

Search term | Search | Sign In

Change 71343 - **Needs Code-Review**

Reply...

Patch Sets (3/3) | Download

```
Add settings screen for global diff preferences

The account preferences are available under the Settings menu, but not
the diff preferences. The diff preferences are only accessible from
the diff screen by clicking on the gear icon. It's confusing to users
that they cannot find all preferences under the Settings menu. This is
why it makes sense to make the diff preferences available in the
Settings menu too.

There are a few diff settings which are only applicable when looking
at a concrete file diff and which are not stored on server side
(show/hide left side, language). These settings are not available when
the diff preferences are accessed from the Settings menu.

The diff preferences in the Settings menu are rendered with the same
style as the diff preferences in the popup. This makes it easy for
users to see that these are actually the same settings, just accessed
through different paths.
```

Author	Edwin Kempin <ekempin@google.com>	Oct 7, 2015 1:40 PM
Committer	David Ostrovsky <david@ostrovsky.org>	Oct 14, 2015 8:05 AM
Commit	62a0cb3963268bac6c2b092f9a5b35db80150d2d	(gitiles)
Parent(s)	bd567a0d3b98aee53bfb6991b93d134e299684f3	(gitiles)
Change-Id	I35f45a4784592b9ce2fe35d86fd6974acc14f5c6	

Owner	Edwin Kempin
Reviewers	David Ostrovsky
	Edwin Kempin
Project	gerrit
Branch	master
Topic	
Strategy	Merge if Necessary
Updated	38 minutes ago

Code-Review	+1	David Ostrovsky
Verified	+1	David Ostrovsky

Related Changes (3) | Conflicts With (3)

- Add settings screen for global edit preferences
- Fetch edit preferences when Gerrit client is loaded
- ▸ Add settings screen for global diff preferences

Files | Open All | Diff against: Base

File Path	Comments	Size
Commit Message		
gerrit-common/src/main/java/com/google/gerrit/common/PageLinks.java	1	
gerrit-gwtui/src/main/java/com/google/gerrit/client/Dispatcher.java	6	
gerrit-gwtui/src/main/java/com/google/gerrit/client/account/AccountConstants.java	1	
gerrit-gwtui/src/main/java/com/google/gerrit/client/account/AccountConstants.properties	1	
A gerrit-gwtui/src/main/java/com/google/gerrit/client/account/MyDiffPreferencesScreen.java	40	
gerrit-gwtui/src/main/java/com/google/gerrit/client/account/SettingsScreen.java	1	
gerrit-gwtui/src/main/java/com/google/gerrit/client/diff/PreferencesBox.java	280	
gerrit-gwtui/src/main/java/com/google/gerrit/client/diff/PreferencesBox.ui.xml	24	
	+235, -118	

History | Expand All

Edwin Kempin — Uploaded patch set 1. — Oct 7 4:14 PM

Edwin Kempin — Oct 7 4:16 PM
Patch Set 1:
(1 comment)
Commit Message
Line 22: I'm not sure if this is really nice. Please comment if you think it should be styled differently.

David Ostrovsky — Oct 8 12:48 PM
Patch Set 1:
(2 comments)
Commit Message
Line 12: Can you point me to any complaints, feature requests or issues to allow to change diff preferences outside of the context of side by side and unified screens?

Such setting as hide/show empty pane, themes, cursor blink rates (see my pending change where i added it), etc. should be tried out, before applied and this is not done in this change (yet?). Well, with some overhead you could do everything, just create a side-by-side screen below of this window, render there some old/new and apply the change on that mini diff screen, embedded in my diff settings screen. Do we really want do that?

Consequently, you may argue, that Inine Editor preferences, that were separated recently from diff preferences also not exposed in my settings screen, and should be added on its own screen in My Inline Editor preferences. Again, with mini Inline Editor below the settings with sample content to try out the changes.

Consequently, if you really insist on doing that, then why should we propagate the activation of diff- and inline edit preferences in two different contexts, view context and no-

Change I35f45a47: Add s

https://gerrit-review.googlesource.com/#/c/71343/

Apps | New Tab | Other Bookmarks

All | Projects | Documentation

List

Search term | Search | Sign In

Change 71343 - **Needs Code-Review**

Reply...

Patch Sets (3/3) | Download

```
Add settings screen for global diff preferences

The account preferences are available under the Settings menu, but not
the diff preferences. The diff preferences are only accessible from
the diff screen by clicking on the gear icon. It's confusing to users
that they cannot find all preferences under the Settings menu. This is
why it makes sense to make the diff preferences available in the
Settings menu too.

There are a few diff settings which are only applicable when looking
at a concrete file diff and which are not stored on server side
(show/hide left side, language). These settings are not available when
the diff preferences are accessed from the Settings menu.

The diff preferences in the Settings menu are rendered with the same
style as the diff preferences in the popup. This makes it easy for
users to see that these are actually the same settings, just accessed
through different paths.
```

Author	Edwin Kempin <ekempin@google.com>	Oct 7, 2015 1:40 PM
Committer	David Ostrovsky <david@ostrovsky.org>	Oct 14, 2015 8:05 AM
Commit	62a0cb3963268bac6c2b092f9a5b35db80150d2d	(gitiles)
Parent(s)	bd567a0d3b98aee53bfb6991b93d134e299684f3	(gitiles)
Change-Id	I35f45a4784592b9ce2fe35d86fd6974acc14f5c6	

Owner	Edwin Kempin
Reviewers	David Ostrovsky
	Edwin Kempin
Project	gerrit
Branch	master
Topic	
Strategy	Merge if Necessary
Updated	38 minutes ago

Code-Review	+1	David Ostrovsky
Verified	+1	David Ostrovsky

Related Changes (3) | Conflicts With (3)

- Add settings screen for global edit preferences
- Fetch edit preferences when Gerrit client is loaded
- ▸ Add settings screen for global diff preferences

Files | Open All | Diff against: Base

File Path	Comments	Size
Commit Message		
gerrit-common/src/main/java/com/google/gerrit/common/PageLinks.java	1	
gerrit-gwtui/src/main/java/com/google/gerrit/client/Dispatcher.java	6	
gerrit-gwtui/src/main/java/com/google/gerrit/client/account/AccountConstants.java	1	
gerrit-gwtui/src/main/java/com/google/gerrit/client/account/AccountConstants.properties	1	
A gerrit-gwtui/src/main/java/com/google/gerrit/client/account/MyDiffPreferencesScreen.java	40	
gerrit-gwtui/src/main/java/com/google/gerrit/client/account/SettingsScreen.java	1	
gerrit-gwtui/src/main/java/com/google/gerrit/client/diff/PreferencesBox.java	280	
gerrit-gwtui/src/main/java/com/google/gerrit/client/diff/PreferencesBox.ui.xml	24	
	+236, -118	

History | Expand All

Edwin Kempin — Uploaded patch set 1. — Oct 7 4:14 PM

Edwin Kempin — Oct 7 4:16 PM

Patch Set 1:

(1 comment)

Commit Message

Line 22: I'm not sure if this is really nice. Please comment if you think it should be styled differently.

David Ostrovsky — Oct 8 12:48 PM

Patch Set 1:

(2 comments)

Commit Message

Line 12: Can you point me to any complaints, feature requests or issues to allow to change diff preferences outside of the context of side by side and unified screens?

Such setting as hide/show empty pane, themes, cursor blink rates (see my pending change where i added it), etc. should be tried out, before applied and this is not done in this change (yet?). Well, with some overhead you could do everything, just create a side-by-side screen below of this window, render there some old/new and apply the change on that mini diff screen, embedded in my diff settings screen. Do we really want do that?

Consequently, you may argue, that Inline Editor preferences, that were separated recently from diff preferences also not exposed in my settings screen, and should be added on its own screen in My Inline Editor preferences. Again, with mini Inline Editor below the settings with sample content to try out the changes.

Consequently, if you really insist on doing that, then why should we prevent the activation of diff- and inline edit preferences in two different contexts, view context and no-

Change I35f45a47: Add
https://gerrit-review.googlesource.com/#/c/71343/
Apps
New Tab
Other Bookmarks
All
Projects
Documentation
List
Search term
Search
Sign In
Change 71343 - Needs Code-Review
Reply...
Patch Sets (3/3)
Download
Add settings screen for global diff preferences
The account preferences are available under the Settings menu, but not the diff preferences. The diff preferences are only accessible from the diff screen by clicking on the gear icon. It's confusing to users that they cannot find all preferences under the Settings menu. This is why it makes sense to make the diff preferences available in the Settings menu too.
There are a few diff settings which are only applicable when looking at a concrete file diff and which are not stored on server side (show/hide left side, language). These settings are not available when the diff preferences are accessed from the Settings menu.
The diff preferences in the Settings menu are rendered with the same style as the diff preferences in the popup. This makes it easy for users to see that these are actually the same settings, just accessed through different paths.
Owner Edwin Kempin
Reviewers David Ostrovsky
Edwin Kempin
Project gerrit
Branch master
Topic
Strategy Merge if Necessary
Updated 38 minutes ago
Related Changes (3)
Conflicts With (3)
Add settings screen for global edit preferences
Fetch edit preferences when Gerrit client is loaded
Add settings screen for global diff preferences
Code-Review +1 David Ostrovsky
Verified +1 David Ostrovsky
Author Edwin Kempin <ekempin@google.com> Oct 7, 2015 1:40 PM
Committer David Ostrovsky <david@ostrovsky.org> Oct 14, 2015 8:05 AM
Commit 62a0cb3963268bac6c2b092f9a5b35db80150d2d (gitiles)
Parent(s) bd567a0d3b98aee53bfb6991b93d134e299684f3 (gitiles)
Change-Id I35f45a4784592b9ce2fe35d86fd6974acc14f5c6
Files
Open All
Diff against: Base
File Path
Comments
Size
Commit Message
gerrit-common/src/main/java/com/google/gerrit/common/PageLinks.java 1
gerrit-gwtui/src/main/java/com/google/gerrit/client/Dispatcher.java 6
gerrit-gwtui/src/main/java/com/google/gerrit/client/account/AccountConstants.java 1
gerrit-gwtui/src/main/java/com/google/gerrit/client/account/AccountConstants.properties 1
A gerrit-gwtui/src/main/java/com/google/gerrit/client/account/MyDiffPreferencesScreen.java 40
gerrit-gwtui/src/main/java/com/google/gerrit/client/account/SettingsScreen.java 1
gerrit-gwtui/src/main/java/com/google/gerrit/client/diff/PreferencesBox.java 280
gerrit-gwtui/src/main/java/com/google/gerrit/client/diff/PreferencesBox.ui.xml 24
+235, -118
History
Expand All
Edwin Kempin Uploaded patch set 1. Oct 7 4:14 PM
Edwin Kempin Oct 7 4:16 PM
Patch Set 1:
(1 comment)
Commit Message
Line 22: I'm not sure if this is really nice. Please comment if you think it should be styled differently.
David Ostrovsky Oct 8 12:48 PM
Patch Set 1:
(2 comments)
Commit Message
Line 12: Can you point me to any complaints, feature requests or issues to allow to change diff preferences outside of the context of side by side and unified screens?
Such setting as hide/show empty pane, themes, cursor blink rates (see my pending change where i added it), etc. should be tried out, before applied and this is not done in this change (yet?). Well, with some overhead you could do everything, just create a side-by-side screen below of this window, render there some old/new and apply the change on that mini diff screen, embedded in my diff settings screen. Do we really want do that?
Consequently, you may argue, that Inine Editor preferences, that were separated recently from diff preferences also not exposed in my settings screen, and should be added on its own screen in My Inline Editor preferences. Again, with mini Inline Editor below the settings with sample content to try out the changes.



EventSourceImpl.java | ger

https://gerrit-review.googlesource.com/#/c/62520/17/gerrit-server/src/main/java/com/google/gerrit/common/EventSourceImpl.java

Apps New Tab Other Bookmarks

All Projects Documentation

List

Search term Search Sign In

gerrit / gerrit-server/src/main/java/com/google/gerrit/common/EventSourceImpl.java

```
    }
    ProjectControl pc = pe.controlFor(user);
    return pc.controlForRef(branchName).isVisible();
  }

  private void fireEvent(Project.NameKey project, Event event) {
    for (EventListenerHolder holder : listeners.values()) {
      if (isVisibleTo(project, event, holder.user)) {
        holder.listener.onEvent(event);
      }
    }

    fireEventForUnrestrictedListeners(event);
  }

  private boolean isVisibleTo(Project.NameKey project, Event event, CurrentUser user)

    ProjectState pe = projectCache.get(project);
    if (pe == null) {
      return false;
    }
    ProjectControl pc = pe.controlFor(user);
    return pc.controlForRef(((ProjectCreatedEvent)event).getHeadName()).isVisible();
  }
}
```

```
    }
    ProjectControl pc = pe.controlFor(user);
    return pc.controlForRef(branchName).isVisible();
  }

  protected boolean isVisibleTo(Event event, CurrentUser user, ReviewDb db)
      throws OrmException {
    if (event instanceof RefEvent) {
      RefEvent rev = (RefEvent) event;
      String ref = rev.getRefName();
      if (PatchSet.isChangeRef(ref)) {
        Change.Id cid;
        if (event instanceof ChangeEvent) {
          cid = ((ChangeEvent) event).getChangeId();
        } else {
          cid = PatchSet.Id.fromRef(ref).getParentKey();
        }
        return isVisibleTo(db.changes().get(cid), user, db);
      }
      return isVisibleTo(rev.getBranchNameKey(), user);
    }
    return true;
  }

  private boolean isVisibleTo(Project.NameKey project, ProjectEvent event,
      CurrentUser user) {
    ProjectState pe = projectCache.get(project);
    if (pe == null) {
      return false;
    }
    ProjectControl pc = pe.controlFor(user);
    return pc.controlForRef(((ProjectCreatedEvent)event).getHeadName()).isVisible();
  }
}
```

Powered by Gerrit Code Review (2.11.3-1442-g13bb183) | Report Bug | Press '?' to view keyboard shortcuts

```
124      */
125     public function update($uuid, array $payload, \Company $company)
126     {
127         $validator = new ComponentValidator($this->validatorFactory, true);
128         $validator->with($payload)->validate();
129
130         $frozen = array_get($payload, "metadata.frozen", false);
131         $component = $this->get($uuid);
132         $componentType = $component->type;
133
134         if ($frozen) {
```

Dave Liddament 11:02 AM

I think we might have to be slightly more sophisticated here. The only time we should validate component attributes is when we are 'freezing' the component. So this should be:

if (!$component->frozen && $frozen)

This stop us against doing validation on a frozen component and protects us against getting spurious validation errors (e.g. if a client doesn't bother to send back attributes when updating data that can be updated post freeze).

Reply Done

```
135             $componentTypeAttributes = $componentType->attributes;
136             $attributeValidator = new PropertyValidator($this->validatorFactory, $componentTypeAttributes);
137             $attributeValidator->with($payload)->validate();
138         }
139
140         $metadata = $payload['metadata'];
141
142         if (!$component->frozen) {
143             $component->name = $metadata['name'];
```



Code-Review
Verified +1 Jenkins

https://www.gerritcodereview.com